

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(printer\$5 image adj3 forming\$5 adj2 apparatus\$5 copy adj2 machine\$5 recording adj2 apparatus\$5) with (adust\$5 adj2 color adj2 gamut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:11
		(gamut\$5 with adjust\$5) same' alternat\$5 adj2 color\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:04
		(gamut\$5 near4 adjust\$5) same (substitut\$5 adj2 color\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:03
		(gamut\$5 near4 adjust\$5) same (substitut\$5 adj2 color\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:03
		worn adj2 photoconductor same worn adj3 transfer\$5 adj2 element\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 13:50
		test	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 13:50
		(all ad2 in adj2 one adj4 cartridg\$5) same ink\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 13:31
		multi adj2 color\$5 adj2 ink adj2 cartridge\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 12:51
		(all ad2 in adj2 one adj4 cartridg\$5) same ink\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 13:12

		multi adj2 color\$5 adj2 cartridge\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 12:51
		(map\$5 adj2 color adj2 gamut with look adj2 up adj2 table\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 17:44
		(print\$5 adj2 preview\$5 with select\$4 adj2 toner\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:00
		(display\$5 adj4 (visual\$5) with print\$5 adj2 job\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:40
		(printer\$5 image adj3 forming\$5 adj2 apparatus\$5 copy adj2 machine\$5 recording adj2 apparatus\$5) with (different\$5 alternat\$5 substitut\$5) with color adj2 scheme\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 17:48
L1	1019	(printer\$5 image adj3 forming\$5 adj2 apparatus\$5 copy adj2 machine\$5 recording adj2 apparatus\$5) with (allocat\$5 adj2 (storag\$5 memor\$5 RAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:11
L2	70	(printer\$5 image adj3 forming\$5 adj2 apparatus\$5 copy adj2 machine\$5 recording adj2 apparatus\$5) with (allocat\$5 adj2 (storag\$5 memor\$5 RAM)) same (display\$5 user adj2 interfac\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 11:12
L8	83	(color\$5 near4 adjust\$5) with alternat\$5 adj2 color\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:04
L9	2	(gamut\$5 near4 adjust\$5) with alternat\$5 adj2 color\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:03
L10	1	(gamut\$5 near4 adjust\$5) same (substitut\$5 adj2 color\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:03

L11	2	(gamut\$5 near4 adjust\$5) same (alternat\$5 adj2 color\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:03
L12	12	(gamut\$5 with adjust\$5) same alternat\$5 adj2 color\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:04
L13	10	12 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:09
L14	1	(mapping\$5 near5 color adj2 gamut\$5) same (table\$5 LUT\$2) same (alternat\$5 adj2 color\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:08
L15	1	(mapping\$5 near5 color adj2 gamut\$5) same (table\$5 LUT\$2) and (alternat\$5 adj2 color\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:08
L16	3	(mapping\$5 near5 color adj2 gamut\$5) same (alternat\$5 adj2 color\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:09
L17	15	(adjust\$5 adj3 color\$5 adj2 gamut\$5) same printer\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:10
L18	7	17 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:11
L19	9	(printer\$5 image adj3 forming\$5 adj2 apparatus\$5 copy ajd2 machine\$5 recording adj2 apparatus\$5) with (adjust\$5 adj2 color adj2 gamut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:12
L20	4	19 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:12

L21	12	(printer\$5 image adj3 forming\$5 adj2 apparatus\$5 copy adj2 machine\$5 recording adj2 apparatus\$5) same (adjust\$5 adj2 color adj2 gamut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:14
L22	3	21 not 19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:12
L23	3	22 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:14
L24	71	(printer\$5 image adj3 forming\$5 adj2 apparatus\$5 copy adj2 machine\$5 recording adj2 apparatus\$5) same (adjust\$5 with color adj2 gamut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:22
L25	45	24 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:32
L26	3	(adjust\$5 adj5 color adj2 gamut\$5) with alternat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:22
L27	1	(adjust\$5 adj5 color adj2 gamut\$5) with substitut\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:32
L28	115	(adjust\$5 adj5 color adj2 gamut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:32
L29	68	28 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:09
L30	1	(defect\$5 fail\$5 worn\$5) adj4 (photoconductor\$5) with transfer\$5 adj2 element\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:08

L31	143	(defect\$5 fail\$5 worn\$5) adj4 (photoconductor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:09
L32	4	(defect\$5 fail\$5 worn\$5) adj4 (photoconductor\$5) and transfer\$5 adj2 element\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:28
L33	300809	"143" and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:09
L34	143	31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:09
L35	101	31 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:19
L36	31	(gamut\$5 adj2 color\$5) with (look adj4 up adj2 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:53
L37	22	36 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:28
L38	2	("6771378").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 16:19
L39	0	(worn\$5) adj4 (photoconductor\$5) and worn\$5 adj2 tranfer\$5 adj2 element\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:28
L40	0	(worn\$5) adj4 (photoconductor\$5) and worn\$5 adj2 belt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:28

L41	19	(worn\$5) adj4 (photoconductor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:30
L42	6	41 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:30
L43	45	(worn\$5)near4 (photoconductor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:30
L44	26	43 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:39
S1	2	("6330542").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:54
S2	2	("20020163570").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 17:46
S3	14	(printer\$5 image adj3 forming\$5 adj2 apparatus\$5 copy ajd2 machine\$5 recording adj2 apparatus\$5) with (different\$5 alternat\$5 substitut\$5) with color adj2 scheme\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 17:51
S4	25	(printer\$5 image adj3 forming\$5 adj2 apparatus\$5 copy ajd2 machine\$5 recording adj2 apparatus\$5) same (different\$5 alternat\$5 substitut\$5) same (non adj2 optimal\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 13:56
S5	11	S4 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:15
S6	2	("20020163570").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 12:38

S7	4133	(printer\$5 image adj3 forming\$5 adj2 apparatus\$5 copy adj2 machine\$5 recording adj2 apparatus\$5) same (different\$5 alternat\$5 substitut\$5) same (color\$2 adj2 scheme\$2 (ink\$2 color\$5) adj2 (cartridge\$2 toner\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:14
S8	1498	(printer\$5 image adj3 forming\$5 adj2 apparatus\$5 copy adj2 machine\$5 recording adj2 apparatus\$5) with (different\$5 alternat\$5 substitut\$5) with (color\$2 adj2 scheme\$2 (ink\$2 color\$5) adj2 (cartridge\$2 toner\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 11:11
S9	970	S8 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:16
S10	222	(printer\$5 image adj3 forming\$5 adj2 apparatus\$5 copy adj2 machine\$5 recording adj2 apparatus\$5) with (alternat\$5 substitut\$5) with (color\$2 adj2 scheme\$2 (ink\$2 color\$5) adj2 (cartridge\$2 toner\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:20
S11	91	S10 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:21
S12	1	(select\$5 choos\$5 chos\$5) adj4 (different\$5 alternat\$5 substitut\$5) adj4 (color adj2 scheme\$2) same (empty)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:21
S13	1	(select\$5 choos\$5 chos\$5) with (different\$5 alternat\$5 substitut\$5) with (color adj2 scheme\$2) same (empty)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:29
S14	19	(select\$5 choos\$5 chos\$5) with (different\$5 alternat\$5 substitut\$5) with (cartridg\$5 toner\$5) same (empty)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:21

S15	15	S14 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:31
S16	3	("6405178").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 14:27
S17	2	("5845057").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 14:28
S18	125	(select\$5 choos\$5 chos\$5) with (different\$5 alternat\$5 substitu\$5) with (color adj2 scheme\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:40
S19	76	S18 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:41
S20	2	("6226463").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 14:37
S21	2	("6550881").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 14:37
S22	1	(different\$5 alternat\$5 substitu\$5) with (color adj2 scheme\$2) with (empty)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:40
S23	28	(different\$5 alternat\$5 substitu\$5) with ((ink\$2 toner\$5) adj2 (toner\$2 cartridge\$2)) with (empty)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:43
S24	24	S23 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:44

S25	7	(select\$5 choos\$5) with (alternat\$5 substitu\$5) adj3 (color\$5 ink\$5 cartridg\$5 toner\$5) with (empt\$5 non adj2 optimal\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:46
S26	3	S25 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:47
S27	6	(select\$5 choos\$5) with (alternat\$5 substitu\$5) adj3 (color\$5 ink\$5 cartridg\$5 toner\$5) same empt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:47
S28	20643485	22and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:47
S29	3	S27 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:53
S30	26608	(alternat\$5 substitu\$5) adj3 (color\$5 ink\$5 cartridg\$5 toner\$5 color adj2 scheme\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:48
S31	663	(alternat\$5 substitu\$5) adj3 (color\$5 ink\$5 cartridg\$5 toner\$5 color adj2 scheme\$2) same (error\$5 fail\$5 troubl\$5 unavailabl\$5 empty)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:52
S32	199	(alternat\$5 substitu\$5) adj3 (color\$5 ink\$5 cartridg\$5 toner\$5 color adj2 scheme\$2) with (error\$5 fail\$5 troubl\$5 unavailabl\$5 empty)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:01
S33	117	S32 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:40
S34	26	select\$5 adj7 (alternat\$5 substitu\$5) adj3 (color\$5 ink\$5 cartridg\$5 toner\$5 color adj2 scheme\$2) with (error\$5 fail\$5 troubl\$5 unavailabl\$5 empty)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:01

S35	5	S34 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:02
S36	12	(display\$5 adj4 (visual\$5) with print\$5 adj2 job\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:40
S37	5	S36 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:43
S38	134	(print\$5 adj2 job\$5 with preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:47
S39	59	S38 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:48
S40	3	(print\$5 adj2 preview\$5 with select\$5 adj3 color\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:48
S41	8	(print\$5 adj2 preview\$5 with select\$5 with color\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:52
S42	4	S41 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:40
S43	65	(print\$5 adj2 preview\$5 with color\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:52
S44	39	S43 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:52

S45	0	(print\$5 adj2 preview\$5 with select\$4 adj2 toner\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:01
S46	2	(print\$5 adj2 preview\$5 with toner\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:01
S47	12	(adjust\$5 adj2 color adj2 gamut\$5) same (LUT look adj2 up adj2 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:39
S48	5	S47 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 17:49
S49	4	((("6563944") or ("6452692"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:44
S50	2	(map\$5 adj2 color adj2 gamut with look adj2 up adj2 table\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 17:48
S51	1	(map\$5 adj2 color adj2 gamut with alter\$6 adj2 color\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 17:48
S52	33	(map\$5 adj2 color adj2 gamut with printer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 17:49
S53	14	S52 and @ad<"20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 11:11